EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2880	((717/136-138) or (718/1) or (712/227) or (719/324,327)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/25 17:23
S3	50	(US-20040117715-$ or US-20060259820-$ or US-20060278004-$ or US-20010029520-$ or US-20010043522-$ or US-20030088372-$ or US-20030117916-$ or US-20050001911-$ or US-20050286440-$ or US-20060050970-$ or US-20060130002-$ or US-20060137024-$ or US-20070067278-$). did. or (US-7207224-$ or US-4882737-$ or US-5148479-$ or US-5373372-$ or US-5430830-$ or US-5602638-$ or US-5768159-$ or US-7200233-$ or US-3555184-$ or US-3555195-$ or US-3555204-$ or US-3555251-$ or US-3555255-$ or US-3555259-$ or US-3556007-$ or US-3557308-$ or US-3557314-$ or US-3557349-$ or US-3557354-$ or US-3557355-$ or US-3557357-$ or US-3557673-$ or US-3558811-$ or US-3558820-$ or US-3558823-$ or US-3558829-$).did. or (US-3558859-$ or US-3558917-$ or US-3559637-$ or US-3559995-$ or US-3560633-$ or US-	US-PGPUB; USPAT	OR	ON	2008/02/25 17:49

		3560639-$ or US-3560653-$ or US-3560658-$ or US-3560717-$ or US-3560751-$ or US-3560764-$).did.				
S4	42	virtual adj machine with driver with layer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 17:57
S5	9	virtual adj machine same driver same layer same map	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 17:58
S6	584	driver with abstraction with layer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 20:29
S8	22	S6 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 20:30
S7	2880	((717/136-138) or (718/1) or (712/227) or (719/324,327)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/25 20:30
S10	13	S7 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 20:36
S9	192	licensed adj internal adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 20:36
S13	1	S11 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:01

S12	2880	((717/136-138) or (718/1) or (712/227) or (719/324,327)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/25 22:01
S11	73	"data type map"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:01
S14	21	data near pass$3 with layer same parser	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:07
S15	2	data near pass$3 with layer same parser same firmware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:09
S18	2360	data near pass$3 with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:11
S17	0	S12 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:11
S16	52	data near pass$3 with layer same firmware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:11
S19	12	S12 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 22:12

S22	47	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 05:49
S21	2882	((717/136-138) or (718/1) or (712/227) or (719/324,327)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 05:49
S20	729	"virtual device driver"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 05:49
S24	40	S21 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:04
S23	1210	hardware adj abstraction adj layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:04
S26	24	S21 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:05
S25	159	hardware adj abstraction adj layer and virtual adj machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:05
S28	141	S21 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:07

S27	2180	device adj driver and virtual adj machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:07
S30	38	S21 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:08
S29	674	device adj driver and virtual adj machine and interface with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:08
S32	9	S21 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:19
S31	168	device adj driver and virtual adj machine and generic near4 interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:19
S33	15	virtual adj machine and generic near4 interface same device adj driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:21
S34	1	("5,265,252").PN.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 06:24
S36	207	S21 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:31
S35	24083	device with interface with (generic universal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:31

S38	6	S21 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:32
S37	170	device adj driver with interface with (generic universal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:32
S39	17	device adj driver with interface with (generic universal) and virtual adj machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:36
S43	15	device with interface with (generic universal) and buffer adj map$4 and virtual adj machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:51
S42	0	S21 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:51
S41	0	device with interface with (generic universal) same buffer adj map$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:51
S40	52	device with interface with (generic universal) and buffer adj map$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:51
S46	128	device with interface with (generic universal) and map$4 with data adj type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:54

S45	0	device with interface with (generic universal) and map$4 with data and virual adj machine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:54
S44	3342	device with interface with (generic universal) and map$4 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:54
S47	12	device with interface with (generic universal) and map$4 with data adj type same layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 06:55
S48	50	(US-20030029912-$ or US-20060253471-$ or US-20010018659-$ or US-20020009394-$ or US-20020075889-$ or US-20020111811-$ or US-20020129005-$ or US-20020143575-$ or US-20030055758-$ or US-20030079303-$ or US-20040010735-$ or US-20040021693-$). did. or (US-5649065-$ or US-6674449-$ or US-6805283-$ or US-4334303-$ or US-4364299-$ or US-4793810-$ or US-5027420-$ or US-5214582-$ or US-5583308-$ or US-5721940-$ or US-5726913-$ or US-5862419-$ or US-5883639-$ or US-5900778-$ or US-5933526-$ or US-5950181-$ or US-5991714-$ or US-6055498-$ or US-6064766-$ or US-6195556-$ or US-6212501-$ or US-6255841-$ or US-6300888-$ or US-	US-PGPUB; USPAT	OR	ON	2008/02/26 08:51

		6301025-$ or US-6536012-$ or US-6603494-$).did. or (US-6730517-$ or US-6804628-$ or US-6823550-$ or US-6901371-$ or US-6950401-$ or US-6964018-$ or US-6988074-$ or US-6999899-$ or US-7103848-$ or US-7107524-$ or US-7280977-$ or US-7296188-$).did.				
S49	8	(US-5530858-$ or US-5696970-$ or US-5337412-$ or US-5265252-$ or US-7222349-$ or US-6535929-$ or US-6658489-$ or US-6809736-$).did.	USPAT	OR	ON	2008/02/26 09:25
S51	1	S49 and S50	USPAT	OR	ON	2008/02/26 09:26
S50	11869	data with (type structure) with length	USPAT	OR	ON	2008/02/26 09:26
S53	25	data with (type structure) with length with pointer with end	USPAT	OR	ON	2008/02/26 09:27
S52	0	data with (type structure) with length with pointer with eng	USPAT	OR	ON	2008/02/26 09:27
S55	14916	length adj field	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:31
S54	7861	length adj field	USPAT	OR	ON	2008/02/26 09:31
S59	1251	length adj field same buffer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:32
S58	6538	length adj field and buffer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:32

S57	67	S55 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:32
S56	2882	((717/136-138) or (718/1) or (712/227) or (719/324,327)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 09:32
S60	5	S56 and S59	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:33
S61	76	data adj type with derived with base	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 09:59
S62	0	S49 and S61	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:00
S63	436	hash with type with table	USPAT	OR	ON	2008/02/26 13:25
S64	22	hash with type with table with search$3	USPAT	OR	ON	2008/02/26 13:26
S65	124	big adj endian with little adj endian with conver$4	USPAT	OR	ON	2008/02/26 13:37
S67	73	conver$4 with pointer with base with address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:53
S66	49	conver$4 with pointer with base with address	USPAT	OR	ON	2008/02/26 13:53
S68	4	conver$4 with pointer with base with address with offset	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:55
S70	8	updat$3 with pointer with base with address same offset	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:57

S69	188	updat$3 with pointer with base with address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:57
S71	57	updat$3 near2 pointer with base with address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:15
S72	14	updat$3 near2 pointer with "base address"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:50
S89	2363	data near pass$3 with layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S88	0	S83 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S87	52	data near pass$3 with layer same firmware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S83	2882	((717/136-138) or (718/1) or (712/227) or (719/324,327)). CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 22:13
S82	73	"data type map"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S80	192	licensed adj internal adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13

S78	2882	((717/136-138) or (718/1) or (712/227) or (719/324,327)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 22:13
S77	584	driver with abstraction with layer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S75	42	virtual adj machine with driver with layer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 22:13
S73	2882	((717/136-138) or (718/1) or (712/227) or (719/324,327)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2008/02/26 22:13
L2	4	virtual adj machine and 1	USPAT	OR	ON	2008/02/26 22:15
L1	12	(US-5530858-$ or US-5696970-$ or US-5337412-$ or US-5265252-$ or US-7222349-$ or US-6535929-$ or US-6658489-$ or US-6809736-$ or US-6209023-$ or US-5832520-$ or US-5398328-$ or US-4408273-$).did.	USPAT	OR	ON	2008/02/26 22:15
L3	35	virtual adj machine and (universal generic) near2 driver	USPAT	OR	ON	2008/02/26 22:21
L5	51	pre-boot with instructions	USPAT	OR	ON	2008/02/26 23:08
L4	258	pre-boot	USPAT	OR	ON	2008/02/26 23:08

2/26/2008 11:27:07 PM
C:\Documents and Settings\jrutten\My Documents\EAST\Workspaces\10723052.wsp